

All Schemes – Local Conditions - Seasonal Water Assignment (Temporary Transfer)

Local Conditions for All Schemes

These local transfer conditions are to be read in conjunction with the conditions set out in the Seasonal Water Assignment (Temporary Transfer) Application Form, and the Water Supply Contract - Terms of Supply. These conditions are applicable as of 1 April 2023, unless otherwise indicated.

All Schemes – Loss Adjustments

Under normal conditions there are no loss adjustments. Seqwater will advise applicants if a loss adjustment will be required, for example in extremely dry conditions where high losses may occur with the transfer of the water.

All Schemes – Transfer Adjustment Fee

A Transfer Adjustment Fee, equal to the value of Seqwater's applied irrigation subsidised price or discount to full commercial pricing, may be payable where water is transferred from a regulated irrigation pricing use to a non-irrigation use. It is the responsibility of the parties to any such transfer to contact Seqwater to ascertain this fee in advance of settlement.

Cedar Pocket Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application. A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in a use of water allocations outside the cap limitations as per Section 10 of the Cedar Pocket Water Supply Scheme Operations Manual, as shown below.

Zone	Maximum allowable water use volume (megalitres)
CPKS1	1,010

Central Brisbane River Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application. Water supplied under a seasonal assignment may be used for any purpose. A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in the total water use in a water year for each zone to exceed the maximum allowable water use volumes as per Section 4.1 of the Central Brisbane River Water Supply Scheme Operations Manual, as shown below:

Zone	Maximum allowable water use volume (megalitres)	Zone	Maximum allowable water use volume (megalitres)
Brisbane	279,096	Mid-Brisbane	286,376

Central Lockyer Valley Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application. Water supplied under a seasonal water assignment may be used for any purpose. Seasonal water assignments between different zones are not permitted. Seasonal water assignments between different priority groups are not permitted. There are no trading zone caps in this scheme.

Logan River Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application. Water supplied under a seasonal assignment may be used for any purpose. A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in a use of water allocations outside the cap limitations as per Section 12 of the Logan River Water Supply Scheme Operations Manual, as shown in table below:

Zone	Maximum allowable water use volume (megalitres)	Zone	Maximum allowable water use volume (megalitres)
BUCSA	730	BUCSB	2,035
LORSA	770	LORSB	4,835
LORSC	4,110	LORSB	4,835
LORSE	6,100	LORSF	385
LORSG	56,856	TVBSA	1,000
TVBSB	500		

Lower Lockyer Valley Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application. Water supplied under a seasonal assignment may be used for any purpose. There are no trading zone caps in this scheme.

Mary Valley Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application. A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in a use of water allocations outside the cap limitations as per Section 10 of the Mary Valley Water Supply Scheme Operations Manual, as shown in table below:

Zone	Maximum allowable water use volume (megalitres)	Zone	Maximum allowable water use volume (megalitres)
MVASA	13,327	MVASB	23,269
MVASC	6,129	MVASC	20
MVASE	2,294		

Warrill Valley Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application. Water supplied under a seasonal assignment may be used for any purpose. There are no trading zone caps in this scheme.