

Engineering Standard X-PRO-STD-002

Engineering Drawing Numbers

Document number: PRO-01872

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed. An electronic database manages and stores the controlled version.

Ver No.	Description	Document Owner		Document Approver		
		Position	Approval	Position	Approval	Approval Date
10	Amended Version	Principal Engineering Standards and Assurance	Refer to supporting Info in REX	General Manager Engineering	Refer to supporting Info in REX	10/03/2025

Version History

Rev	Date	Description	Author	SME	Owner	Approver
10	10/03/2025	Amended Version				
9	13/10/2023	Amended Version				
8	22/10/2021	Amended Version				
7	23/10/2020	Amended Version				
6	14/02/2020	Amended Version				
5	10/01/2020	Amended Version				
4	31/05/2017	Amended Version				
3	21/06/2016	Amended Version				
2	19/01/2016	New Version				
1.01	22/09/2015	Amended Version				
1	18/12/2014	Initial Version				

(Refer Controlled Document in REX for Author, SME, Owner, and Approver details)

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	2 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Contents

1.	Purpose	4
2.	Scope	4
3.	Drawing Number Convention.....	4
4.	Drawing Number Creation Procedure.....	5
4.1.	Document Number Structure	5
4.2.	Discipline Code.....	5
4.3.	Document Type.....	6
4.4.	Area (Drawing Code)	6
4.5.	Sequential Number	6
5.	Storage of Drawings.....	7
6.	Process Flowchart	8
7.	Definitions and Abbreviations	9
8.	Roles and Responsibilities	10
9.	References and Related Materials	11
10.	Changes from Previous Version	11
11.	Verification	12
12.	Further Information.....	12
	Appendix A – Drawing Codes and REX Containers	13
	Appendix B – Gauging Stations	41

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	3 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

1. Purpose

This document is part of a suite of Seqwater Engineering Standards which are in alignment with the Seqwater Quality Management System. Their purpose is to provide a consistent approach to the development, modification, and management of Seqwater infrastructure that is fit for purpose, economic over the life of the asset, and meets Seqwaters Work Health and Safety obligations.

This purpose of this document is to describe the procedure for the creation and revision of drawing numbers so that they can be clearly identified and aligned to the appropriate area within REX.

Cataloguing and controlling drawings in a secure, auditable and readily accessible location such as REX ensures the integrity of the information can be maintained, which supports asset management, project delivery, operations and maintenance. It also supports Seqwaters compliance with the Public Records Act 2002 (Qld) and the Queensland State Archives requirement to retain as-constructed drawings as a permanent record of all Seqwater infrastructure.

2. Scope

This Procedure applies to all Seqwater workers, as well as suppliers, contractors and consultants working for, or on behalf of Seqwater unless otherwise stated. Deviation from the requirements in this procedure requires written agreement from Seqwater as per the deviation process detailed in *X-PRO-STD-008 Asset Standards Management and Application*.

Seqwater undertakes regular updates of its Engineering Standards. Before utilising this Procedure, the complete list of Seqwater Engineering Standards should be reviewed to ensure currency and applicability of standards to be applied to the works.

The Coordinator, Plans and Drawings allocates the drawing numbers when required.

For information on how to find drawings in REX refer [PRO-02191](#) X-PRO-STD-012 Accessing Drawings Stored in REX Procedure.

Advice must be sought from the Seqwater Document Owner, via the Engineering Mailbox, to clarify any ambiguities in relation to this Procedure.

3. Drawing Number Convention

The Principal Engineering Standards and Assurance is responsible for implementing the numbering convention structure for Engineering Drawings. There are a number of processes available to provide new drawing numbers. These processes are listed below:

- When there are numerous drawings for an existing site, the existing site has a single drawing structure and only a few more drawings are to be created, then the existing drawing number system should continue to be used.
- When there are numerous drawings for an existing site, a number of drawing conventions already in use for the site and only a few new drawings are required, then one of the existing drawing number systems, closely associated with the new work, should be used.

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	4 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

- When there are numerous drawings for an existing site and there are numerous new drawings to be created, then the drawing convention, detailed in Section 4, should be used.
- When there are new drawings required and the existing drawing structure(s) have few drawings or can easily be ignored, the drawing convention, detailed in Section 4, should be used.
- When a new site is being developed the drawing convention, detailed in Section 4, should be used.
- For all other cases, contact the Coordinator, Plans and Drawings.

4. Drawing Number Creation Procedure

All requests for drawing numbers shall be made by an Seqwater Drawings Requestor. This is the Seqwater Employee responsible for work – generally the Planner or Project Manager for the project, in accordance with X-PRO-STD-014 Drawings Management.

When new drawing numbers are required, a request is to be sent to the Coordinator, Plans and Drawings via email to the email address engineering@seqwater.com.au indicating the number of drawing numbers required for each engineering discipline.

The numbering convention for new drawings, unless allowed otherwise in Section 3, is detailed below.

4.1. Document Number Structure

The drawing number is structured as per the Asset Standards Document Classification and Naming Structure as follows:

X-DDD-AAA-NNNNN

where:

- X Discipline
- DDD Document Type
- AAA Area (Drawing Code)
- NNNNN Sequential Number

Only Seqwater approved drawing numbers are to be used at all times, and this is applicable to all drawings whether they are new or existing drawings.

4.2. Discipline Code

Discipline Code Table 4-1 shall be in the format as follows:

Table 4-1 – Discipline Codes

Type*	Discipline Code
Architectural	A
Process (including P&ID's)	B
Civil	C
Electrical	E

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	5 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Type*	Discipline Code
Instrumentation	I
Mechanical	M
Piping	D
Structural	S
General	X

* Note - typical information on each drawing type is summarised below:

- A Architectural layouts and details
- B P&ID and Plant Processes
- C Civil (generally stormwater, roads, earthworks, services, including civil notes)
- D Piping (includes pipelines going to/ from the treatment plant, e.g. raw water, treated water)
- E Electrical (240 Volt AC or higher & 24 Volt DC supply)
- I Instrumentation (generally on the rack/slot type drawings)
- M Mechanical (e.g. pipework, pumps, valves etc. within the plant, ladders & walkways, including mechanical notes)
- S Structural (structures including structural notes)
- X General (usually only drawing indices or site location information)

4.3. Document Type

Document type code Table 4-2 shall be in the format as follows:

Table 4-2 – Document Type Code

Type	Document Code
Drawing	DWG

4.4. Area (Drawing Code)

For drawings the Area uses a “Drawing Code”. This is a 3 digit alphanumeric code as listed in Appendix A. These codes are largely historical based on the location and/or scheme where the asset is located. The Principal Engineering Standards and Assurance is responsible for the control of Drawing Codes.

This code may differ from those shown in the Seqwater Enterprise Asset Management System (currently Mainpac) but in all instances drawings are to use the Area (Drawing Code) detailed in this procedure.

4.5. Sequential Number

A 5 digit sequential number as allocated by the Coordinator, Plans and Drawings. This is usually the next available number in the sequence. The drawing index for an Area is the first point of reference for the next available drawing number. A request shall be made to the Coordinator, Plans and Drawings for any new drawing numbers.

When updates to existing drawings are required by a project, a request for the release of the native file is to be made to the Coordinator, Plans and Drawings, via the Engineering Mailbox (engineering@seqwater.com.au), who will action this request as per [PRO-02253](#) X-PRO-STD-014 Drawings Management Procedure.

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	6 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

The 5 digit sequential number has been introduced at Version 10 of this document, superseding the previous 3 digit sequential number. All drawings are to be stored in REX with the document title reflecting the new X-DDD-AAA-NNNNN number, however, existing drawing numbers inside the PDF & eTransmitted ZIP files may still only be to the previous X-DDD-AAA-NNN convention. These existing drawing numbers are to remain as they are within the PDF/ZIP files until the drawing is next required for updating at which time the drawing numbers are to be changed to the new X-DDD-AAA-NNNNN convention by the addition of leading 00's to the sequential number as part of the updating of the drawing.

The reasoning behind increasing the sequential number from 3 digits to 5 digits is to adopt a drawing nomenclature which will be fit-for-purpose for delivery all projects of differing sizes across the whole of the business. The current numbering system only has 3 digits, so there is an insufficient number of drawings available to support the demand of larger project. To date there have been allowances made for some projects to increase this to 4 digits particularly in the Electrical & Instrumentation disciplines, however it has been decided that this will now be made consistent across the whole of the business.

5. Storage of Drawings

All drawings will be stored in REX.

Read-only access to the drawings located in REX is obtained by taking the following steps:

1. Open the corporate intranet home page (Waternet).
2. Click on the link "As Constructed Drawings" which is located under "Asset Management" and "Asset Information Management".
3. Select the asset class and this will open the REX containers for all the sites for that class.

For additional information on the above procedure refer *X-PRO-STD-012 Accessing Drawings Stored in REX*. If you experience any problems accessing the drawing containers in REX, please send an email to the Engineering Mailbox (engineering@seqwater.com.au) marked for the attention of the Coordinator, Plans and Drawings.

Appendix A contains a list of REX storage containers corresponding to each Asset Location for ease of reference.

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	7 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

6. Process Flowchart

The process flowchart shown in Figure 1 covers the creation and alteration of drawings within existing and new areas and the associated issue of Drawing Numbers.




Figure 1 - Process Flowchart for Drawing Numbers

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	8 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

7. Definitions and Abbreviations

The following definitions Table 7-3 apply to this Procedure.

Table 7-3 – Definitions

Term	Definitions
As-Con	As Constructed (as opposed to As Built).
Contractor	The Contractor is the entity that, dependent on contracted scope, is responsible for the management and / or execution of the design, construction, commissioning and operation of the asset for the duration of a project (i.e. the “work”). Seqwater can undertake the role of the Contractor.
DWG	AutoCAD Drawing.
Employees	Means persons employed directly by Seqwater in a permanent, temporary or casual capacity.
Engineering Mailbox	Microsoft Office mailbox engineering@seqwater.com.au used to manage engineering correspondence with ESA, including all official correspondence relating to drawings management in Seqwater. The Engineering Mailbox is managed in accordance with X-PRO-STD-016.
Engineering Standards and Assurance unit (ESA)	Unit within IPCD that develops and manages Engineering Standards, manages Engineering Drawings, and provides engineering support to the Seqwater business.
GIS	Centralised Spatial Information program.
IFC	Issued For Construction.
IFR	Issued For Review.
Infrastructure Planning & Capital Development (IPCD) - Engineering	Provides Engineering and Technical Support to the Seqwater business.
Leader	Means any Level 1, 2, 3 and 4 Leader with responsibility for managing a functional area of the business, including people management responsibilities within their functional area.
Manufacturer / Supplier / Vendor / Original Equipment Manufacturer (OEM)	The entity that manufactures or supplies equipment to meet the specifications of the Contract.
MoC	Management of Change – a system and processes to manage changes to reduce the risk and increase the quality and safety of change.
Owner / Principal / Seqwater	The entity that engages the Contractor to undertake the work and takes custody of the outcome. The Owner may delegate responsibilities to other entities to act on its behalf (e.g. a consultant).
PDF	Portable Document Format.

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	9 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Term	Definitions
PID/APMP	Seqwater's internal project identifier numbers.
REX	Seqwater Electronic Document and Records Management System.
RPEQ	Registered Professional Engineer of Queensland.
Shall / must	Indicates a mandatory requirement.
Should	Indicates a recommendation.
Worker(s)	Includes all permanent, temporary, and casual employees of Seqwater, and: • vocational and work experience placements • volunteers contractors and consultants employed by another entity but temporarily assigned to do work for or on behalf of Seqwater.
WTP	Water Treatment Plant.
ZIP	Compressed Archive File Format. AutoCAD can create a ZIP file of a drawing using the eTransmit feature, ensuring that all plot table files, font files, reference files and data links are included with the drawing.

8. Roles and Responsibilities

The following roles and responsibilities Table 8-4 are applicable in the context of this Procedure.

Table 8-4 – Roles and Responsibilities

Role	Responsibility
Coordinator, Plans and Drawings	• Main contact for all drawings database queries. • Checks in / out drawings, issues new drawing numbers, supersedes / obsolete drawings, co-ordinates internal redline mark-up drawing updates, and any other drawings management activities.
General Manager Engineering (IPCD)	• Accountable for implementation and management of this Procedure.
Principal Engineering Standards and Assurance (ESA)	• Responsible for development, implementation, and management of this procedure. • Responsible for implementing the numbering convention structure for Engineering Drawings. • Manages the Engineering Standards Naming Convention Structure. • Manages the record keeping of Engineering Standards and Engineering Drawings in REX.
Seqwater REX Users	• Able to access Engineering Standards and Engineering Drawings in REX on a "Read Only" basis.

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	10 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

9. References and Related Materials

The documents listed in Seqwater undertakes regular updates of its Engineering Procedures and Standards. Before utilising this document the complete list of Seqwater Engineering Procedures and Standards should be reviewed to ensure currency and applicability for the proposed works.

Table 9-5 below, and the requirements therein, are relevant to this Procedure. In their latest editions, these documents form a part of this Procedure. Note that this is not an exhaustive list of documents relevant to the Procedure.

Seqwater undertakes regular updates of its Engineering Procedures and Standards. Before utilising this document the complete list of Seqwater Engineering Procedures and Standards should be reviewed to ensure currency and applicability for the proposed works.

Table 9-5 – References and Related Materials

Description	Location
PRO-01873 X-PRO-STD-001 Asset Standards Document Classification and Naming Structure Procedure	REX
PRO-01874 X-PRO-STD-004 Development and Review of Asset Standards Procedure	REX
PRO-02187 X-PRO-STD-007 Drawing and Spatial Data Standards Procedure	REX
PRO-02190 X-PRO-STD-006 Equipment Numbering and Naming Convention Procedure	REX
PRO-02191 X-PRO-STD-012 Accessing Drawings Stored in REX Procedure	REX
PRO-02205 X-PRO-STD-008 Asset Standards Management and Application Procedure	REX
PRO-02253 X-PRO-STD-014 Drawings Management Procedure	REX

10. Changes from Previous Version

This Procedure will be regularly reviewed in accordance with the requirements of the Seqwater Controlled Document Management Procedure. Reviews will include consideration of suggestions for alteration or improvement made in accordance with *X-PRO-STD-004 Development and Review of Asset Standards*.

Changes made from the previous version of this document are summarised in Table 10-6 below.

Table 10-6 – Changes from Previous Version

Section Number	Change
4.1	Expansion of trailing sequential number from 3 digits to 5 digits. Clarification that only Seqwater drawings numbers are to be used.
4.5	Expansion of trailing sequential number from 3 digits to 5 digits.
9	Term & Definitions updated for team structure.
10	Term & Definitions updated for team structure.

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	11 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Section Number	Change
Appendix A	Asset locations, drawing codes and REX containers: a. Capalaba TW Reservoirs 1 & 2 (RC1, RC2) added b. Enoggera Dam Catchment Facilities (FEN) added c. Mobile Filter Media Hopper (MFM) added d. Herring Lagoon Raw Water Pump Station Intake & Herring Lagoon Raw Water Pump Station merged (SHL). e. Logan Rd PS to Ellinthorpe Pipeline (PEL) added

11. Verification

Compliance with this document may be verified by internal audit.

12. Further Information

For further information please contact the owner of this document.

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	12 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Appendix A – Drawing Codes and REX Containers

Description	Drawing Code	REX Container
STANDARD AND GENERAL DRAWINGS		
Seqwater Standard Drawings	STD	INO/DRA/507
Standard and General Drawings for SRWP	090	INO/DRA/651
Standard and General Drawings for NPI 1	190	INO/DRA/467
Standard and General Drawings for EPI	290	INO/DRA/442
Standard and General Drawings for NPI 2	390	INO/DRA/631
Standard and General Drawings for Brisbane City Council & Brisbane Water	BCC	INO/DRA/865
Standard Drawings for Eastern Pipeline	---	INO/DRA/742
Seqwater Operation Area Drawings	SOA	INO/DRA/757
Overview, Dams and Treatment Plants	DTO	INO/DRA/927
Overview, Pipeline and Irrigation Schemes	POI	INO/DRA/926
Security Drawings	---	INO/DRA/638
Gold Coast Miscellaneous Drawings & Sketches, Little Nerang Creek, Standards, etc.	---	INO/DRA/470
NIP Red Line drawings	490	INO/DRA/430
Reference Drawings For Structural Safety Risk Assessments – Southern, Central & Northern	REF	INO/DRA/974
Cedar Grove Connector Pipeline, General and Standards (Proposed)	412	INO/DRA/806

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	13 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Albert River Raw WPS	SAR	---
Albert River Weir	WAL	INO/DRA/931
Albert River WTP	TAR	INO/DRA/642
Alexandra Hills Chemical Dosing Station	W03 (270)	INO/DRA/453
Alexandra Hills High Level Reservoir	RAT (270)	INO/DRA/944
Alexandra Hills Pump Station	SAH (271)	INO/DRA/494
Alexandra Hills Reservoir 1 & General Site Details	RA1 (270)	INO/DRA/453
Alexandra Hills Reservoir 2	RA2 (270)	INO/DRA/940
Alexandra Hills Reservoir 3	RA3 (270)	INO/DRA/941
Alexandra Hills Reservoir 4	RA4 (270)	INO/DRA/942
Alexandra Hills Reservoir 5	RA5 (270)	INO/DRA/943
Algester WTP	TAL	INO/DRA/674
Allora Borefields Pump Station	SAB	INO/DRA/1003
Amity Point WTP	TAP	INO/DRA/675
Amity Point WTP Bore	BAP	---
Aratula Weir (Warrill Valley Water Supply Scheme)	WAR	INO/DRA/861
Aratula WTP	TAT	INO/DRA/682
Aspley Chemical Dosing Station	NAS	INO/DRA/921
Aspley Pump Station	SAS	INO/DRA/556
Aspley Reservoir	RAS	INO/DRA/559
Aspley Reservoir Outlet WQ	W05	INO/DRA/981
Atkinson Dam	DAT	INO/DRA/827
Atkinson Dam WTP	TAK	INO/DRA/683
Atkinson Dam WTP Bore (Pump Station)	SAT	INO/DRA/809
Banksia Beach Raw Water Pipeline	PBB	INO/DRA/707
Banksia Beach WTP (Bribie Island)	TBB	INO/DRA/700
Baroon Pocket Catchment	CBP	INO/DRA/907
Baroon Pocket Dam	DBP	INO/DRA/824
Baroon Pocket Dam Catchment Facilities	FBP	INO/DRA/968

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	14 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Baroon Pocket Dam Raw Water Pipeline	PBP	---
Beaudesert Pipeline WSZ Investigation	PBW	INO/DRA/641
Beaudesert Offtake (SRWP)	041	INO/DRA/414
Beaudesert Raw Water Pipeline	PBR	INO/DRA/930
Beaudesert Raw Water Pump Station	SBE	INO/DRA/844
Beaudesert Reservoir 1 (Wyaralong WTP - Beaudesert WTP)	RB1	INO/DRA/580
Beaudesert Reservoir 2 (Wyaralong WTP - Beaudesert WTP)	RB2	INO/DRA/639
Beaudesert Weir	WBE	INO/DRA/887
Beaudesert WTP	TBE	INO/DRA/696
Bill Gunn Dam (Lake Dyer)	DBG	INO/DRA/572
Black Gully Diversion Channel	IBC	INO/DRA/854
Blackall Range Raw Water Pipeline	PBL	---
Blackstone Offtake (SRWP)	014	INO/DRA/427
Boat Mountain Alert Station (Glenhowden Road)	AB2	INO/DRA/963
Boonah-Kalbar WTP	TBK	INO/DRA/723
Borumba Dam	DBR	INO/DRA/711
Borumba Dam Catchment Facilities	FBR	INO/DRA/936
Borumba Dam WTP	TBO	INO/DRA/727
Bribie Island Catchment	CBI	---
Bribie Island Raw Water Pump Station	SBI	---
Bribie Island Test Bore	BBI	---
Brightview BR1 Supply Channel	IB1	INO/DRA/848
Brightview Channel	IBV	INO/DRA/850
Brightview Weir	WBR	INO/DRA/883
Bromelton Dam	DBM	INO/DRA/829
Bromelton Dam to Pump Station Pipeline	PBO	INO/DRA/937
Bromelton OSS Raw Water Pump Station	SBO	INO/DRA/471
Bromelton Weir	WBW	INO/DRA/878
Buaraba Creek Channel	CBC	---
Buaraba Creek Diversion Channel	IBU	INO/DRA/804

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	15 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Buaraba Creek Raw Water Pipeline	PBC	INO/DRA/808
Buaraba Creek Supply Channel	IB2	---
Buaraba Creek Weir	WBC	INO/DRA/457
Bundamba AWTP, Recycled	T1B	INO/DRA/652
Bundamba Offtake (SRWP)	013	INO/DRA/426
Bundamba Potable Water Pump Station	SBU(050)	INO/DRA/416
Bundamba Recycled Water Pump Station	S1B	INO/DRA/720
Bundamba to Caboonbah Recycled Water Pipeline	P2C (7501)	INO/DRA/658
Bundamba to Lowood Balance Tank Pipeline	7601	INO/DRA/661
Bundamba to Swanbank Recycled Water Pipeline	P2B	INO/DRA/447
Bundamba Treated Sewage Pipeline	P1B	---
Bundamba West Booster Pump Station	7551	INO/DRA/660
Bundamba West Transfer Pump Station	5321	INO/DRA/659
Byrnes Road Pump Station	SBY	INO/DRA/618
Caboolture Raw Water Pump Station	SCR	INO/DRA/491
Caboolture River Catchment	CCR	---
Caboolture River Weir	WCR	INO/DRA/491
Caboolture WTP	TCA	INO/DRA/708
Caboonbah Reservoir	RCA (7851)	INO/DRA/668
Calico Channel	ICC	---
Camerons Hill Monitoring Station	NCH	INO/DRA/582
Camerons Hill Pump Station	SCH	INO/DRA/635
Camerons Hill Reservoir No.1	RCI	INO/DRA/419
Camerons Hill Reservoir No.2	RCH	INO/DRA/810
Canungra Raw Water Pump Station	SCU	INO/DRA/888
Canungra WTP	TCN	INO/DRA/703
Capalaba Treated Water Reservoir 1	RC1	INO/DRA/989
Capalaba Treated Water Reservoir 2	RC2	INO/DRA/1013
Capalaba WTP	TCP	INO/DRA/702

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	16 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Capalaba WTP Potable Water Pump Station (High Lift)	SCA	INO/DRA/452
Capalaba WTP Potable Water Pump Station (Low Lift)	SCP	INO/DRA/782
Carpendale Weir	WCA	INO/DRA/884
Cedar Grove Connector Pipeline, Green Rd to Illaweenaa Reservoirs (Proposed)	405	INO/DRA/915
Cedar Grove Connector Pipeline, Illaweenaa Reservoir Offtake (Proposed)	409	INO/DRA/919
Cedar Grove Connector Pipeline, Illaweenaa Reservoirs to Kuraby (Proposed)	406	INO/DRA/916
Cedar Grove Connector Pipeline, Kuraby Reservoir Connection (Proposed)	410	INO/DRA/920
Cedar Grove Connector Pipeline, Mount Lindsay Highway to SRWP Connection (Proposed)	403	INO/DRA/913
Cedar Grove Connector Pipeline, Mountain Ridge Rd to Mount Lindsay Highway (Proposed)	402	INO/DRA/912
Cedar Grove Connector Pipeline, Mountain Ridge Offtake (Proposed)	407	INO/DRA/917
Cedar Grove Connector Pipeline, Pump Station to Mountain Ridge Rd (Proposed)	401	INO/DRA/911
Cedar Grove Connector Pipeline, SRWP Connection to Green Rd (Proposed)	404	INO/DRA/914
Cedar Grove Connector Pipeline, SRWP Cross Connection (Proposed)	408	INO/DRA/918
Cedar Grove Pump Station (Proposed)	400	INO/DRA/910
Cedar Grove Water Treatment Plant	TCG	INO/DRA/765
Cedar Grove Weir	WCG	INO/DRA/820
Cedar Pocket Catchment	CCP	INO/DRA/990
Cedar Pocket Dam	DCP	INO/DRA/862
Cedar Pocket Scheme	ICP	---
Central Lockyer Irrigation Scheme	ICL	INO/DRA/961
Chambers Flat Pump Station and Amenities Building (includes Water Quality Facility)	054 (SCF/NCF)	INO/DRA/432
Chandler WTP	TCH	INO/DRA/724
Churchbank Weir (Warrill Valley Water Supply Scheme)	WCH	INO/DRA/860

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	17 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Clarendon Dam	DCL	INO/DRA/830
Clarendon Diversion Channel	ICD	INO/DRA/793
Clarendon Raw Water PS	SCL	INO/DRA/648
Clarendon Weir	WCL	INO/DRA/875
Cooloolabin Dam	DCO	INO/DRA/653
Coomera Pump Station	SCO (056)	INO/DRA/421
Coominya Raw Water Pipeline	PCY	INO/DRA/811
Coominya Raw Water Pump Station (incl. pontoon submersible pumps)	SCY	INO/DRA/800
Coominya Raw Water Reservoir	RCY	INO/DRA/801
Cooroora Reservoir (Mary River Raw Water Pipeline)	RCE	INO/DRA/807
Creek Street Building	ACS	INO/DRA/966
Crowley Vale Weir	WCV	INO/DRA/805
Daisy Hill Pump Station	SDH (450)	INO/DRA/554
Dayboro Pump Station, Raw Water (at Dayboro WTP)	SDR	INO/DRA/813
Dayboro Pump Station, Treated Water (at Dayboro WTP)	SDW	INO/DRA/818
Dayboro Road Pump Station, Raw Water (Pumps to Petrie WTP)	SDY	INO/DRA/812
Dayboro to Petrie Potable Pipeline (Not installed)	PDR	---
Dayboro Road Pump Station Weir	WDR	INO/DRA/717
Dayboro WTP	TDY	INO/DRA/706
Dayboro WWTP Alert Station	AC5	INO/DRA/964
Dickensens Road Pump Station	SDI	INO/DRA/1001
Dinmore Reservoir	RDI	INO/DRA/722
Dunwich WTP	TDU	INO/DRA/725
Elanora Reservoir (Not Seqwater)	---	INO/DRA/839
Enoggera Dam	DEN	INO/DRA/863
Enoggera Dam Catchment Facilities	FEN	INO/DRA/1016
Enoggera Potable Water PS	SEN	---
Enoggera WTP	TEN	INO/DRA/685

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	18 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Eprapah Pump Station	SEP (240)	INO/DRA/574
Esk Balance Tank to Caboonbah Pipeline Chn 69.9-80.4	7831	INO/DRA/667
Esk Pump Station, Raw Water and Intake Works	SES	INO/DRA/869
Esk Recycled Water Reservoir	RES (7801)	INO/DRA/666
Esk Treated Water Reservoir	RET	INO/DRA/935
Esk WTP	TES	INO/DRA/726
Eudlo Pump Station	358 (SEU)	INO/DRA/643
Ewen Maddock Dam	DEM	INO/DRA/686
Ewen Maddock Dam Catchment Facilities	FEM	INO/DRA/402
Ewen Maddock Potable Water Pipeline	PEM	INO/DRA/833
Ewen Maddock Reservoir	REM	INO/DRA/583
Ewen Maddock WTP	TEM	INO/DRA/728
Ferntree Chemical Dosing Station	356 (W10)	INO/DRA/644
Ferntree Reservoir, Potable Water	356 (KFE)	INO/DRA/644
Flagstone Creek Weir	WFL	INO/DRA/876
Forest Lake WTP	TFL	INO/DRA/503
Gatton Weir	WGA	INO/DRA/880
General Cathodic Protection & Earthing - Eastern Pipeline Stage 1	7102	INO/DRA/748
General Cathodic Protection & Earthing - Eastern Pipeline Stage 2	7102	INO/DRA/744
Gibson Island AWTP	T1G	INO/DRA/712
Gibson Island Pump Station - High Lift (Treated Water)	S1G (5369)	INO/DRA/746
Gibson Island Pump Station (Treated Water)	S2G	INO/DRA/741
Gibson Island to Bundamba Recycled Water Pipeline	P2G	---
Glenore Grove Weir	WGL	INO/DRA/881
Gold Creek Dam	DGC	INO/DRA/630
Gold Creek to Enoggera Pipeline	PGC	---
Goodna (Brisbane Terrace) to Bundamba AWTP - Recycled Water, Sewage Effluent and RO Concentrate	P1N	INO/DRA/698
Goodna Pump Station - High Lift (Raw Water)	SG1	INO/DRA/745

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	19 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Goodna Pump Station - Low Lift (Raw Water)	SG2	INO/DRA/749
Goodna STP (including Low Level to High Level Pumps) to Goodna (Brisbane Terrace) - Sewage Effluent and RO Concentrate	---	INO/DRA/710
Goodna Treated Sewage PS	S1N	INO/DRA/750
Gough's Crossing (Reynolds Creek) Raw Water Pump Station (to Kalbar WTP)	SGC	INO/DRA/802
Gramzow Road Chemical Dosing Station	NGR	INO/DRA/634
Gramzow Road Pump Station	SGR (212)	INO/DRA/983
Grantham Weir	WGR	INO/DRA/882
Green Hill 1 Reservoir	RG1	INO/DRA/568
Green Hill 2 & 3 Reservoirs	RG2	INO/DRA/897
Green Hill Reservoir Outlet WQ	W12	INO/DRA/982
Greenbank Reservoirs 1 & 2 Monitoring Station (previously known as North Beaudesert Reservoir)	W25	---
Greenbank Reservoirs 1 & 2, Potable Water (previously known as North Beaudesert Reservoir)	053 (KB1 & KB2)	INO/DRA/418
Gympie Weir	WGY	INO/DRA/773
Heathwood TWPS	S2H	INO/DRA/752
Heinemann Road 1 Chemical Dosing Station	W16 (214)	INO/DRA/489
Heinemann Road 1 Reservoir	RH1 (214)	INO/DRA/489
Heinemann Road 2 and 3 Chemical Dosing Station	W14 (227)	INO/DRA/429
Heinemann Road 2 Reservoir	RH2 (227)	INO/DRA/429
Heinemann Road 3 Reservoir	RH3 (227)	INO/DRA/945
Heinemann Road Pump Station	SHR (225)	INO/DRA/578
Helensvale Offtake (SRWP)	038	INO/DRA/411
Herring Lagoon Raw Water Pump Station	SHL	INO/DRA/772
Herring Lagoon Raw Water Pipeline, Herring Lagoon to North Stradbroke WTP, Raw Water	PHL	INO/DRA/771
Highfields Reservoir	RHF	INO/DRA/986
Hinze Dam	DHZ	INO/DRA/784
Hinze Dam Facilities	FHZ	INO/DRA/831

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	20 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Hinze Dam Lower Raw Water PS	SHZ	INO/DRA/814
Hinze Dam Sewage Treatment Plant	EHZ	INO/DRA/729
Hinze Dam Upper Raw Water PS and Intake Tower	SHU	INO/DRA/832
Hinze Dam WTP	THZ	INO/DRA/730
Hinze Lower to Molendinar Raw Water Pipeline (DN1350 MSCL)	PHZ	INO/DRA/903
Hinze Dam Lower Break of Head Tank	RHZ	INO/DRA/980
Hinze Upper to Mudgeeraba Raw Water Pipeline	PHU	INO/DRA/788
ICON Building, 117 Brisbane Street, Ipswich	AIP	INO/DRA/967
Image Flat (Maroochy) Raw Water Pipelines (Cooloolabin, Poona and Wappa Dams)	PMR	INO/DRA/564
Image Flat Reservoir No.1	RI1 (RIF)	INO/DRA/828
Image Flat Reservoir No.2	RI2	INO/DRA/498
Image Flat WTP (Locality Code 315, Not to be used anymore)	TIF	INO/DRA/647
Imbil Weir	WIM	INO/DRA/770
Jimna Pipeline (Potable Water)	PJI	INO/DRA/715
Jimna Pipeline (Raw Water)	PJM	INO/DRA/719
Jimna Raw Water PS	SJI	INO/DRA/714
Jimna Reservoir	RJI	INO/DRA/716
Jimna WTP	TJI	INO/DRA/718
Jordan 1 Weir	WJ1	INO/DRA/871
Jordan 2 Weir	WJ2	INO/DRA/872
Kalbar Raw Water Pipeline & Pump Station (NOT BUILT)	PKP	INO/DRA/925
Kalbar-Boonah WTP	TBK	INO/DRA/723
Kalbar Weir HW Alert Station	AE6	INO/DRA/975
Karalee Offtake (Proposed Future Development)	---	INO/DRA/434
Kenilworth Bore	BKN	---
Kenilworth Potable Water PS	SKE	---
Kenilworth Raw Water Pipeline	PKE	INO/DRA/938

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	21 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Kenilworth WTP	TKE	INO/DRA/701
Kents Lagoon Diversion Channel	IKL	INO/DRA/816
Kents Lagoon Diversion Weir (Warrill Valley Water Supply Scheme)	WKL	INO/DRA/841
Kentville Weir	WKE	INO/DRA/873
Kilcoy (Lake Somerset) WTP - Decommissioned	TKS	INO/DRA/838
Kilcoy Bore	BKI	---
Kilcoy Offstream Storage	LKO	INO/DRA/835
Kilcoy Offstream Storage Raw Water PS	SKS	---
Kilcoy Raw Water PS	SKI	INO/DRA/965
Kilcoy Treated Water Reservoir	RKC	INO/DRA/933
Kilcoy Weir	WKC	INO/DRA/898
Kilcoy WTP (New Site 2014)	TKY	INO/DRA/731
Kilcoy WTP (Wade Street) - Decommissioned	TKI	INO/DRA/596
Kimberley Park Pump Station	SKP	INO/DRA/604
Kimberley Pk Break of Head Tank, Reservoir	RKT	---
Kimberley Pk Reservoir	210 (RKP)	INO/DRA/450
Kings Lane Weir	WOO	INO/DRA/822
Kirkleagh (Recreation) WTP	TKR	INO/DRA/506
Kirkleagh Raw Water Pump Station	SKR	INO/DRA/445
Kirkleagh Sewage TP	EKT (TKL)	INO/DRA/732
Kooralbyn – Big Foot Lagoon	LBF	INO/DRA/575
Kooralbyn – Big Foot Pump Station	SBF	INO/DRA/645
Kooralbyn Logan Raw Water PS (at Logan River)	SKO	INO/DRA/441
Kooralbyn Raw Water Pipeline Network	PKR	INO/DRA/670
Kooralbyn WTP	TKO	INO/DRA/594
Kuraby Pump Station (Treated Water)	S2K	INO/DRA/756
Kuraby Reservoir	RKU (410)	INO/DRA/561
Laidley Creek Diversion Weir	WLC	INO/DRA/874
Lake Dyer Diversion A Pipeline	PDA	INO/DRA/794

Version No. 10	Document No. PRO-01872	Document Owner: Principal Engineering Standards and Assurance	Approval Date: 10/03/2025	Document Approver: General Manager Engineering	Page: 22 of 42
-------------------	---------------------------	--	------------------------------	---	-------------------

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Lake Dyer Diversion B Pipeline	ILD	INO/DRA/795
Lake Kurwongbah (Sideling Creek Dam)	DLK	INO/DRA/769
Lake Kurwongbah (Sideling Creek) Recreation Areas	FLK	INO/DRA/1000
Lake MacDonald Dam	DLM	INO/DRA/823
Lake MacDonald Dam Raw Water PS	SLM	INO/DRA/866
Lake Manchester Dam	DLN	INO/DRA/825
Lake Manchester Recreational Facilities	FLN	INO/DRA/939
Landers Shute Hydroelectric Plant	HLS	---
Lander's Shute Raw Water PS	SLS	---
Landers Shute WTP (Locality Code 120, Not to be used anymore)	TLS	INO/DRA/646
Landsborough Water Quality and Chemical Dosing Facility (Caloundra St)	151 (W07)	INO/DRA/620
Learoyd Road Pump Station	SLE	INO/DRA/557
Leslie Harrison Catchment	ZLH	INO/DRA/924
Leslie Harrison Dam	DLH	INO/DRA/783
Linville Reservoir	RLI	INO/DRA/958
Linville WTP	TLI	INO/DRA/733
Linville WTP Borefield	BLI	INO/DRA/959
Little Nerang Dam	DNE	INO/DRA/688
Little Nerang Dam Catchment Facilities	FNG	INO/DRA/1004
Little Nerang to Mudgeeraba Raw Water Pipeline	PLN	INO/DRA/797
Lloyd Street Pump Station	SLL	INO/DRA/558
Lockyer Creek Channel	CLC	---
Lockyer Valley Catchment	CLV	INO/DRA/993
Logan River Catchment	CLR	INO/DRA/992
Logan River Irrigation Scheme	ILR	INO/DRA/671
Logan Road Pump Station	SLN	INO/DRA/1005
Lower Brisbane River Catchment	CLB	INO/DRA/991
Lower Flagstone Creek Weir	WLF	INO/DRA/876
Lower Lockyer Irrigation Scheme, Ground Water Investigation	ILL	INO/DRA/855
Lower Tenthill Creek Weir	WLT	INO/DRA/877

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	23 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Lowood Balance Tank to Lowood Pump Station Pipeline, Chn 26.8-31.8, DN1400 MSCL	7681	INO/DRA/663
Lowood Potable Water Reservoir No 1 (New Reservoir)	RLN	INO/DRA/929
Lowood Potable Water Reservoir No 2 (Old Reservoir)	RLO	INO/DRA/679
Lowood Pump Station	7701	INO/DRA/664
Lowood Pump Station to Esk Balance Tank Pipeline Chn 31.8-69.9, DN1000 GRP	7751	INO/DRA/665
Lowood Pump Station to Wivenhoe Takeoff	7881	INO/DRA/669
Lowood Raw Water (Booster) PS (Glamorgan Vale Rd/Prospect Rd)	SLR	INO/DRA/678
Lowood Raw Water Pipeline	PLO	INO/DRA/677
Lowood Raw Water PS (near River off Lindemans Rd)	SLO	INO/DRA/676
Lowood Recycled Water Reservoir	RLR	INO/DRA/662
Lowood Treated Water PS (Reservoir Rd)	SLT	INO/DRA/680
Lowood WTP	TLO	INO/DRA/681
Luggage Point AWTP	T1L	INO/DRA/636
Luggage Point Pump Station (Raw Water Transfer)	S2L	INO/DRA/751
Luggage Point Pump Station (Recycled Water)	S1L	INO/DRA/754
Luggage Point Raw Water Pump Station	S3L	INO/DRA/760
Luggage Point Raw Water Pipeline (Raw Water Pump Station to Raw Water Storage Tank)	P2L	INO/DRA/755
Luggage Point to Gibson Island Treated Sewage Pipeline	P1L	INO/DRA/753
Luggage Point to Goodna - Jagera and Turrbal Cultural Heritage Maps	---	INO/DRA/740
Luggage Point to Bundamba Pipeline	---	INO/DRA/689
Lumley Hill Reservoir	RLU	INO/DRA/864
Lumley Hill Sewage Treatment Plant	ELU (TLU)	INO/DRA/709
Lyons Bridge Alert Station	AG7	INO/DRA/962
Ma Creek Weir	WMM	INO/DRA/879
Maleny Raw Water PS	SMR	---
Maleny Treated Water Pump Station (located at Landers Shute WTP)	SMT	INO/DRA/789

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	24 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Maleny Weir	WM2	INO/DRA/821
Maleny WTP	TMA	INO/DRA/786
Maroochy Raw Water Pipeline	PMR	INO/DRA/564
Maroochy River Catchment	CMR	INO/DRA/995
Maroon Dam	DMA	INO/DRA/687
Maroon Dam Recreation Areas	FMD	INO/DRA/545
Maroon Dam WTP	TMD	INO/DRA/509
Mary River Raw Water Pipeline	PMA	INO/DRA/433
Mary River Raw Water PS	SMA	INO/DRA/774
Mary Valley Catchment	CMV	INO/DRA/996
McIntosh Channel	IMI	---
Mid Brisbane River Catchment	CMB	INO/DRA/849
Mobile Assemblies	MCD	INO/DRA/977
Mobile Dewatering Unit	MDU	INO/DRA/928
Mobile Filter Media Hopper	MFM	INO/DRA/1015
Mobile PAC Dosing Trailer No.1 (MCD01)	MC1	INO/DRA/971
Mobile PAC Dosing Trailer No.2 (MCD02)	MC2	INO/DRA/972
Mobile PAC Dosing Trailer No.3 (MCD03)	MC3	INO/DRA/973
Molendinar 3 Reservoir, Potable Water	RM3	INO/DRA/612
Molendinar 4 Reservoir, Potable Water	RM4	INO/DRA/899
Molendinar 5 Reservoir, Potable Water	RM5	INO/DRA/900
Molendinar 6 Reservoir, Potable Water	RM6	INO/DRA/901
Molendinar 7 Reservoir, Potable Water	058 (KMN)	INO/DRA/779
Molendinar Monitoring Station	W19	INO/DRA/437
Molendinar Pump Station	SMD (058)	INO/DRA/778
Molendinar WTP	TMO	INO/DRA/693
Moodlu Quarry Offstream Storage – NOT SEQWATER	LMO	INO/DRA/834
Moodlu Quarry Pump Station	SMO	---
Moodlu Quarry Transfer Raw Water Pipeline	PMQ	---
Moogerah Dam (Warrill Valley Water Supply Scheme)	DMO	INO/DRA/690

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	25 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Moogerah Dam Recreational Facilities	FMO	INO/DRA/435
Moogerah Dam WTP	TMG	INO/DRA/734
Mooloolah River Catchment	CML	INO/DRA/994
Mooloolah/ Nobel Rd Monitoring Station (Drawings in INO/DRA/464)	NNR	---
Morayfield Monitoring Station	NMF	INO/DRA/616
Morayfield Pump Station	153 (SMY	INO/DRA/603
Morton Vale Raw Water Pipeline (Irrigation Pipeline)	PMV	INO/DRA/477
Mount Cotton Reservoir	RMC (235)	INO/DRA/579
Mount Crosby East Bank Raw Water PS	SEB	INO/DRA/423
Mount Crosby East Bank WTP	TEB	INO/DRA/511
Mount Crosby Holts Hill	THH	INO/DRA/694
Mount Crosby Weir	WMC	INO/DRA/695
Mount Crosby West Bank Pump Station (Treated Water & Raw Water)	SWB	INO/DRA/870
Mount Crosby West Bank WTP	TWB	INO/DRA/699
Mount Crosby, East Bank PS to East Bank WTP Raw Water Pipelines (PE4)	PE4	INO/DRA/934
Mount Crosby, East Bank to Holts Hill, DN1350 MSCL Pipeline (PE1)	PE1	INO/DRA/904
Mount Crosby, East Bank to Holts Hill, DN1650 MSCL Pipeline (PE2)	PE2	INO/DRA/902
Mount Crosby, Holts Hill to Camerons Hill, DN1650 MSCL Pipeline (PE3)	PE3	INO/DRA/905
Mount Crosby, West Bank to Camerons Hill, DN1650 MSCL Pipeline (PW1)	PW1	INO/DRA/906
Mount Petrie Reservoir	7115	INO/DRA/721
Mudgeeraba Pump Station	SMU	INO/DRA/563
Mudgeeraba WTP	TMU	INO/DRA/691
Mulgowie Weir	WMU	INO/DRA/885
Nambour Offtake	360	INO/DRA/650
Narangba 1 Reservoir	RN1	INO/DRA/619
Narangba 2 Reservoir	RN2	INO/DRA/867

Version No. 10	Document No. PRO-01872	Document Owner: Principal Engineering Standards and Assurance	Approval Date: 10/03/2025	Document Approver: General Manager Engineering	Page: 26 of 42
-------------------	---------------------------	--	------------------------------	---	-------------------

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Narangba 3 Reservoir	RN3 (107)	INO/DRA/868
Narangba Reservoirs Outlet WQMF	W24	INO/DRA/960
Narangba Pump Station	SNA	INO/DRA/581
Nerang River Catchment	CNR	INO/DRA/997
Nerang to Molendinar Raw Water Pipeline (DN750)	---	INO/DRA/836
Nindooibah Dam	LNI	INO/DRA/847
Noosa Chemical Dosing Station	353 (W31)	INO/DRA/565
Noosa Pump Station, Potable Water	353 (SNO)	INO/DRA/565
Noosa WTP	TNO	INO/DRA/649
Normanby Gully Diversion (incl. The Loop) Channel	ING	INO/DRA/853
North Beaudesert Reservoir (now known as Greenbank Reservoirs 1 & 2 Monitoring Station)	W25	---
North Beaudesert Reservoir (now known as Greenbank Reservoirs 1 & 2, Potable Water)	053 (KB1 & KB2)	INO/DRA/418
North Pine Dam	DNP	INO/DRA/791
North Pine Dam Recreational Areas (Boat Ramps, Recreation Buildings, etc.)	FNP	INO/DRA/845
North Pine Monitoring Station	NNP	---
North Pine Pump Station	SNT	INO/DRA/573
North Pine WTP	TNP	INO/DRA/468
North Stradbroke Island Catchment	CNS	---
North Stradbroke Island Pump Station	SNS	INO/DRA/923
North Stradbroke Island WTP	TNS	INO/DRA/735
North Stradbroke Island WTP, Borefield Pipeline, North	BNS	INO/DRA/777
North Stradbroke Island WTP, Borefield Pipeline, South	BSS	INO/DRA/781
NPI 3 (NOT CONSTRUCTED) - Area 501 (North Pine), Area 502 (Kurwongbah), Area 503 (Burpengary), Area 551 (North Pine) & Area 552 (Raynbirds Road)	NP3	INO/DRA/979
Gatton to Laidley Water Supply, Trunk Main Glencore Grove to Laidley, NOT Seqwater	---	INO/DRA/761

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	27 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Gatton to Laidley Water Supply, Trunk Main Lowood Reservoir to Glencore Grove, NOT Seqwater	---	INO/DRA/747
Kenmore to City DN1200, DN1050, Decommissioned Lockbar, TM067, NOT Seqwater	---	INO/DRA/571
Split Yard Creek Dam, NOT Seqwater	DSY	INO/DRA/837
Toogoolawah Potable Water Pipeline and Blackbutt Recycled Water Pipeline, NOT Seqwater	---	INO/DRA/780
Toowoomba, Lake Cressbrook Dam Outlet Works, NOT Seqwater	---	INO/DRA/629
Toowoomba, Overall - Entire Site, NOT Seqwater	---	INO/DRA/627
Toowoomba, T-81651 Area 1 - Wivenhoe Dam to Brisbane Valley Highway, NOT Seqwater	---	INO/DRA/625
Toowoomba, T-81651 Area 2 - Brisbane Valley Highway to East of Esk, NOT Seqwater	---	INO/DRA/626
Toowoomba, T-81651 Area 3 - East of Esk to Outlook Drive, NOT Seqwater	---	INO/DRA/624
Toowoomba, T-81651 Area 4 - Outlook Drive to Lower Gorge, NOT Seqwater	---	INO/DRA/623
Toowoomba, T-81651 Area 5 Lower Gorge, NOT Seqwater	---	INO/DRA/622
Toowoomba, T-81651 Area 6 Upper Gorge and Cressbrook Dam, NOT Seqwater	---	INO/DRA/621
Toowoomba, Wivenhoe Pump Station, P-81650, NOT Seqwater	---	INO/DRA/628
Wivenhoe Dam Pump Station (Not Seqwater)	SWR	INO/DRA/628
O'Reillys Weir	WOR	INO/DRA/826
Ormeau Offtake (SRWP)	034	INO/DRA/407
Oxley Creek Pump Station - High Lift (Raw Water)	S01	INO/DRA/768
Oxley Creek Pump Station - Low Lift (Raw Water)	S02	INO/DRA/758
Oxley Creek Pump Station (Raw Water)	S10	INO/DRA/759
Oxley Creek Waste Water Treatment Plant	---	INO/DRA/763
Oxley to Bundamba Pipeline	---	INO/DRA/764
Oxley to Goodna Pipeline	P10	INO/DRA/697
Oxley to Goodna Treated Sewage Pipeline	P1N	---
Oxley Treated Sewage PS	S10	---

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	28 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Paringa Road Pump Station (Treated Water)	S2P	INO/DRA/767
Petrie Offtake	102	INO/DRA/803
Petrie WTP	TPE	INO/DRA/736
Petrie WTP Distribution	---	INO/DRA/840
Pie Creek Channel	IPC	INO/DRA/672
Pie Creek Main Channel	IPM	INO/DRA/672
Pie Creek WPS	SPC	INO/DRA/819
Pimpama Offtake (SRWP)	036	INO/DRA/617
Pine River Raw Water Pipeline	PPR	---
Pine River Valley Catchment	CPV	INO/DRA/856
Pipeline Potable Acacia Ridge (Boundary Rd to Paradise Rd) - S1	829	INO/DRA/539
Pipeline Potable Acacia Ridge (Paradise Rd to Learoyd Rd) - S1	893	INO/DRA/587
Pipeline Potable Anstead to Runcorn (Anstead to Brisbane River) - S2	915	INO/DRA/957
Pipeline Potable Anstead to Runcorn (Brisbane River to Wolston Rd, Wacol) - S2	914	INO/DRA/553
Pipeline Potable Anstead to Runcorn DN1050 (Brandon Rd to Persse Rd) - S2	930	INO/DRA/546
Pipeline Potable Anstead to Runcorn DN1050 (Learoyd Rd Pump Station to Signata St) - S2	933	INO/DRA/956
Pipeline Potable Anstead to Runcorn DN1050 (Signata St to Brandon Rd) - S2	916	INO/DRA/544
Pipeline Potable Anstead to Runcorn DN1200 (Blunder Creek to Learoyd Rd Pump Station) - S2	935	INO/DRA/955
Pipeline Potable Anstead to Runcorn DN1200 (Blunder Rd to Blunder Creek) - S2	931	INO/DRA/547
Pipeline Potable Anstead to Runcorn DN1500 (Archerfield Rd to Blunder Rd) - S2	927	INO/DRA/953
Pipeline Potable Anstead to Runcorn DN1650 (Wolston Rd, Wacol to Archerfield Rd) - S2	926	INO/DRA/534
Pipeline Potable Anstead to Runcorn DN750 (Archerfield Rd to Blunder Rd) - S2	855	INO/DRA/526

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	29 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Pipeline Potable Anstead to Runcorn DN900 (Wolston Rd, Wacol to Archerfield Rd) - S2	819	INO/DRA/535
Pipeline Potable Archerfield DN1200 - S3	911	INO/DRA/528
Pipeline Potable Aspley to Sparkes Hill DN1050 - S4	841	INO/DRA/542
Pipeline Potable Aspley to Sparkes Hill DN1350 (Aspley Reservoir to Maundrell Tce) - S4	844	INO/DRA/542
Pipeline Potable Brighton Supply DN400 (Brackenridge Deviation to Houghton Highway) - S5	945	INO/DRA/499
Pipeline Potable Brighton Supply DN400 (Brackenridge Reservoir to Brackenridge Deviation) - S5	865	INO/DRA/570
Pipeline Potable Brighton Supply DN600 (Lacey Rd to Brackenridge Reservoir) - S5	811	INO/DRA/548
Pipeline Potable Capalaba WTP to Alexandra Hills DN700 - S6	273	INO/DRA/593
Pipeline Potable Compton Road Supply Pipelines - S7	821	INO/DRA/615
Pipeline Potable Green Hill to Wellers Hill DN1350 (Russell Tce to Underhill Ave) - S8	894	INO/DRA/519
Pipeline Potable Green Hill to Wellers Hill DN1350 (Tarragindi Reservoir to Wellers Hill) - S8	813	INO/DRA/521
Pipeline Potable Taringa (Green Hill) to Tarragindi Reservoir, DN1200 MSCL (Underhill Ave to Tarragindi Res) - S8	856	INO/DRA/508
Pipeline Potable Heinemann Rd Reservoir 1 to Heinemann Rd Reservoir 2 and 3 - S9	226	---
Pipeline Potable Heinemann Rd to Alex Hills (Alex Hills Reservoir to Mt Cotton Reservoir) - S9	236	INO/DRA/640
Pipeline Potable Heinemann Rd to Alex Hills (Mt Cotton Reservoir to Heinemann Rd Reservoir) - S9	233	INO/DRA/613
Pipeline Potable Illaweenaa Supply DN1200/DN750/DN400 (Kuraby Reservoir to Logan Water) - S10	824	INO/DRA/541
Pipeline Potable Illaweenaa Supply DN600 (Illaweenaa St to Wembley Rd Reservoir) - S10	904	INO/DRA/550
Pipeline Potable Illaweenaa Supply DN750 (Illaweenaa St to Wembley Rd Reservoir) - S10	925	INO/DRA/637
Pipeline Potable Ipswich Central Pipeline - S11	938	INO/DRA/532
Pipeline Potable Ipswich Eastern Pipeline - S12	937	INO/DRA/512
Pipeline Potable Ipswich Western Pipelines - S13	939	INO/DRA/608

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	30 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Pipeline Potable Logan Central Supply DN900 (Scheme 10 pipeline to Trinder Park Pump Stn) - S14	897	INO/DRA/585
Pipeline Potable, Daisy Hill Pump Station to Kimberley Park Reservoir, Logan City - S14	452	INO/DRA/598
Pipeline Potable, Trinder Park Pump Station to Daisy Hill Pump Station, DN900 MSCL DN750/600 DICL, DN600 AC, Logan City - S14	448	INO/DRA/589
Pipeline Potable, Railway Pde to Daisy Hill Rd, DN600 AC, DICL (includes all Connections to Area 448), Logan City - S14	449	INO/DRA/673
Pipeline Potable, Trunk Mains Logan City Council - Map 07, S14	---	INO/DRA/597
Pipeline Potable, Trunk Mains Logan City Council - Map 09, S14	---	INO/DRA/599
Pipeline Potable Morayfield to Narangba - S15	140	INO/DRA/577
Pipeline Potable BTA01, Trunk Main, near Camerons Hill Reservoir GIS Plans from Brisbane Water, S16	---	INO/DRA/518
Pipeline Potable Decommissioned , T-10076 - Holts Hill to North Quay, S16	---	INO/DRA/605
Pipeline Potable Mount Crosby to Green Hill, DN1050 (Bielby Rd to Taringa) - S16	860	INO/DRA/523
Pipeline Potable Mount Crosby to Green Hill, DN1050 (Forestry Reserve to Bielby Rd) - S16	861	INO/DRA/529
Pipeline Potable Mount Crosby to Green Hill, DN1050 (Forestry Reserve to Gravelly Hill) - S16	873	INO/DRA/584
Pipeline Potable Mount Crosby to Green Hill, DN1500 (Forestry Reserve to Rafting Ground) - S16	838	INO/DRA/531
Pipeline Potable Mount Crosby to Green Hill, DN1650 (Forestry Reserve to Mt Victoria) - S16	807	INO/DRA/846
Pipeline Potable Mount Crosby to Green Hill, DN1650 (Mt Victoria to Rafting Ground) - S16, S24	815	INO/DRA/538
Pipeline Potable Mount Crosby to Green Hill, DN1650 (Rafting Ground to Taringa) - S16	836	INO/DRA/517
Pipeline Potable Mount Crosby to Green Hill, DN1650, Holts Hill to Forestry Reserve, Laid 1952, southern pipe - S16	888	INO/DRA/520
Pipeline Potable Mount Crosby to Green Hill, DN1650, Holts Hill to Forestry Reserve, Laid 1966, northern pipe - S16	887	INO/DRA/525
Pipeline Potable Mudgeeraba to Tarrant Drive, DN800 - S17	584	INO/DRA/567
Pipeline Potable North Pine Pump Station to South Pine River - S18	890	INO/DRA/549

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	31 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Pipeline Potable South Pine River to Barbour Rd - S18	885	INO/DRA/549
Pipeline Potable North Stradbroke Treatment Plant to Russell Island - S19	224	INO/DRA/602
Pipeline Potable Russell Island to Heinemann Rd Reservoir - S19	224	INO/DRA/602
Pipeline Potable Golf Links Rd to Tarragindi Reservoir - S20	892	INO/DRA/610
Pipeline Potable Rafting Grounds to Golf Links Rd - S20	806	INO/DRA/516
Pipeline Potable Russell Island to Macleay Island - S21	225	INO/DRA/632
Pipeline Potable Robina Reservoir Supply DN600 Inlet Pipeline - S22	580	INO/DRA/476
Pipeline Potable Rocklea to Kuraby DN1200 (Gay St to Stones Rd Pump Station) - S23	901	INO/DRA/614
Pipeline Potable Rocklea to Kuraby DN1200 (Golf Links Rd to Stones Rd Pump Station) - S23	818	INO/DRA/536
Pipeline Potable Rocklea to Kuraby DN750/1050/1200 (Stones Rd to Compton Rd) - S23	814	INO/DRA/543
Pipeline Potable Rocklea to Kuraby DN750/600 (Golf Links Rd to Gay St) - S23	847	INO/DRA/514
Pipeline Potable Rocklea to Kuraby DN900 (Brandon Rd to Persse Rd) - S23	930	---
Pipeline Potable Rocklea to Kuraby DN900 (Stones Rd to Pinelands Rd) - S23	898	INO/DRA/586
Pipeline Potable Mount Crosby to Green Hill, DN1650 (Mt Victoria to Rafting Ground) - S16, S24	815	INO/DRA/538
Pipeline Potable Sparkes Hill to Green Hill DN1500 (Taringa to Lloyd St Pump Station) - S24	848	INO/DRA/555
Pipeline Potable Sparkes Hill to Green Hill DN750/600 (Taringa to Sparkes Hill Reservoir) - S24	874	INO/DRA/515
Pipeline Potable Sparkes Hill to Green Hill DN900 (Lloyd St Pump Station to Sparkes Hill Reservoir) - S24	846	INO/DRA/522
Pipeline Potable T-10048, Fletcher Pde offtake and Lugg St offtake (T-10074), Trunk Mains Ashgrove to City, S24	---	INO/DRA/588
Pipeline Potable T-10060, T-10074, Moggill Rd at Harrys Rd, Taringa, TM060, TM074, Decommissioning Works, S24	---	INO/DRA/606
Pipeline Potable TM116, DN750 MSCL Chilton St to Hellewell Rd, S25	P25	INO/DRA/576
Pipeline Potable Micro Tunnels drawings (7007), S26	---	INO/DRA/490

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	32 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Pipeline Potable Tarrant Dve to Elanora, DN600 MSCL, Tarrant Drive to Bridgman Drive - S26	570	INO/DRA/474
Pipeline Potable Tarrant Dve to Elanora, DN900 MSCL, Tarrant Drive to Bridgman Drive - S26	573	INO/DRA/478
Pipeline Potable Tarrant Dve to Elanora, Stage 1, DN750/600, Bridgman Drive to Tallebudgera Creek Rd - S26	574	INO/DRA/473
Pipeline Potable Tarrant Dve to Elanora, Stage 2, DN600 DICL, Tallebudgera Creek Rd to Elanora Reservoir - S26	575	INO/DRA/984
Pipeline Potable Tarrant Dve to Nerang South, DN600 (Alexander Drive, Highland Park to Tarrant Drive) - S27	585	INO/DRA/743
Pipeline Potable SRWP, Central Leg, Albert River to Stapylton Reservoir - S28	033	INO/DRA/406
Pipeline Potable SRWP, Central Leg, Beaudesert Offtake to Chambers Flat pump Station - S28	042	INO/DRA/415
Pipeline Potable SRWP, Central Leg, Chambers Flat Pump Station to Logan River - S28	031	INO/DRA/403
Pipeline Potable SRWP, Central Leg, Logan River to Albert River - S28	032	INO/DRA/405
Pipeline Potable SRWP, Central Leg, Greenbank Reservoir to Beaudesert Offtake - S28	041	INO/DRA/414
Pipeline Potable SRWP, Southern Leg, Coomera River to Wet N Wild - S29	037	INO/DRA/410
Pipeline Potable SRWP, Southern Leg, Pimpama Offtake to Coomera River - S29	036	INO/DRA/409
Pipeline Potable SRWP, Southern Leg, Pimpama River to Pimpama Offtake - S29	035	INO/DRA/617
Pipeline Potable SRWP, Southern Leg, Stapylton Reservoir to Pimpama River - S29	034	INO/DRA/407
Pipeline Potable SRWP, Southern Leg, Wet N Wild to Molendinar - S29	038	INO/DRA/411
Pipeline Potable SRWP, Northern Leg, Blackstone Offtake to Swanbank Pump Station - S30	015	INO/DRA/428
Pipeline Potable SRWP, Northern Leg, Bremer River to Bundamba Pump Station - S30	013	INO/DRA/426
Pipeline Potable SRWP, Northern Leg, Brisbane River to Bremer River - S30	012	INO/DRA/425

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	33 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Pipeline Potable SRWP, Northern Leg, Bundamba PS to Blackstone Offtake - S30	014	INO/DRA/427
Pipeline Potable SRWP, Northern Leg, Camerons Hill Connection to Mt Crosby - S30	010	INO/DRA/422
Pipeline Potable SRWP, Northern Leg, Mt Crosby to Brisbane River - S30	011	INO/DRA/424
Pipeline Potable SRWP, Northern Leg, Redbank Plains Offtake to Springfield Offtake - S30	017	INO/DRA/404
Pipeline Potable SRWP, Northern Leg, Springfield Offtake to Greenbank Reservoir - S30	018	INO/DRA/412
Pipeline Potable SRWP, Northern Leg, Swanbank Pump Station to Redbank Plains Offtake - S30	016	INO/DRA/413
Pipeline Potable Eastern (Gramzow Rd Pump Station to Heinemann Rd Reservoir) - S31	213	INO/DRA/451
Pipeline Potable Eastern (Kimberley Park to Gramzow Rd Pump Station) - S31	211	INO/DRA/443
Pipeline Potable GCDA Reedy Creek Offtake, Electrical Drawings, T-00301, S32	---	INO/DRA/504
Pipeline Potable GCDA, Section 1, Tugun to Barlee Court, Elanora - S32	701	INO/DRA/485
Pipeline Potable GCDA, Section 2, Barlee Court, Elanora to Bridgman Drive, Reedy Creek - S32	703	INO/DRA/952
Pipeline Potable GCDA, Section 3A, Bridgman Drive, Reedy Creek to Clover Hill Drive - S32	706	INO/DRA/493
Pipeline Potable GCDA, Series 7000 Drawings, General and P&ID Drawings, S32	---	INO/DRA/483
Pipeline Potable GCDA Worongary Offtake, Section C, T-07005, San Fernando Drive, S33	---	INO/DRA/633
Pipeline Potable GCDA, Section 3B, Robina Reservoirs to Tarrant Drive Pump Station - S33	706	INO/DRA/493
Pipeline Potable GCDA, Section 4, Tarrant Drive Pump Station to Nash Rd, Worongary - S33	711	INO/DRA/492
Pipeline Potable Molendinar to Worongary (Pumps and Pipes) - S33	715	INO/DRA/472
Pipeline Potable NPI, Caboolture River to Elimba Offtake - S34	112	INO/DRA/456
Pipeline Potable NPI, Elimba Offtake to North Caboolture Boundary - S34	114	INO/DRA/461

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	34 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Pipeline Potable NPI, Elimbah Branch Pipeline- S34	113	INO/DRA/460
Pipeline Potable NPI, Glasshouse Mountain's Rd to Mooloolah Connection Rd - S34	117	INO/DRA/463
Pipeline Potable NPI, Mooloolah Connection Rd to Nobels Rd (Eudlo Offtake) - S34	118	INO/DRA/464
Pipeline Potable NPI, Morayfield Pump Station to Muscat Circuit - S34	110	INO/DRA/454
Pipeline Potable NPI, Muscat Circuit to Caboolture River - S34	111	INO/DRA/455
Pipeline Potable NPI, North Caboolture Boundary to Peachester Rd - S34	115	INO/DRA/462
Pipeline Potable NPI, Peachester Rd to Glasshouse mountains Rd - S34	116	INO/DRA/465
Pipeline Potable Narangba Reservoir to Byrnes Rd Pump Station, DN500 - S35	103	INO/DRA/590
Pipeline Potable Narangba Reservoir to Byrnes Rd Pump Station, DN750 - S35	104	INO/DRA/600
Pipeline Potable NPI, Eudlo, Nobels Rd to Chevallum Rd - S36	300	INO/DRA/510
Pipeline Potable NPI, Kulangoor, Duhs Rd to Wappa Falls Rd - S36, S37	304	INO/DRA/501
Pipeline Potable NPI, Nambour, Paynter Creek to Duhs Rd - S36	302	INO/DRA/488
Pipeline Potable NPI, Woombye, Chevallum Rd to Paynter Creek - S36	301	INO/DRA/533
Pipeline Potable NPI, Cooroy, Holts Rd to Kennedys Rd- S37	308	INO/DRA/475
Pipeline Potable NPI, Eumundi, Hatfield Rd to Holts Rd - S37	307	INO/DRA/479
Pipeline Potable NPI, Kulangoor, Duhs Rd to Wappa Falls Rd - S36, S37	304	INO/DRA/501
Pipeline Potable NPI, North Arm, North Arm-Yandina Creek Rd to Hatfield Rd - S37	306	INO/DRA/505
Pipeline Potable NPI, Yandina, Wappa Falls Rd to North Arm-Yandina Creek Rd - S37	305	INO/DRA/480
Pipeline Potable NPI, Lake MacDonald, Kennedys Rd to Noosa Pump Station - S38	309	INO/DRA/466
Pipeline Potable Landers Shute to Caloundra, DN600 MSCL, Landers Shute to The Pinch Lane - S39	192	INO/DRA/513

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	35 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Pipeline Potable Landers Shute to Caloundra, DN600 MSCL, Wilson Rd to Tanawha Reservoir (Northern) - S39	551 (194)	INO/DRA/551
Pipeline Potable Landers Shute to Caloundra, DN600 MSCL, Wilson Rd, Tanawha to Ring Tank (Southern)- S39	551 (194)	INO/DRA/551
Pipeline Potable Landers Shute to Caloundra, DN900/750 MSCL, Landers to Wilson Rd, Tanawha (Combined) - S39	551 (194)	INO/DRA/551
Pipeline, Allora to Ellinthorp	PAE	INO/DRA/1006
Pipeline, Bushland Road	PBU	INO/DRA/969
Pipeline, Greenmount to Logan Rd PS	PGL	INO/DRA/1007
Pipeline, Highfields Reservoir to Westbrook	PHW	INO/DRA/1008
Pipeline, Logan Rd PS to Ellinthorp	PLE	INO/DRA/1009
Pipeline, Ellinthorp to Warwick Reservoir	PEL	INO/DRA/1010
Pipeline, Perseverance Connection to Highfields Reservoir	PPH	INO/DRA/1011
Pipeline, Toowoomba to Warwick	PTW	INO/DRA/985
Pipeline, Westbrook to Greenmount	PWG	INO/DRA/1012
Pipeline, Wyaralong to Beaudesert	PWB	INO/DRA/970
Point Lookout WTP	TPL	INO/DRA/737
Point Lookout WTP Bore	BPL	---
Poona Dam	DPO	INO/DRA/654
Potters Weir	WPO	INO/DRA/894
Purdons Bridge WPS	SPB	---
Railway Weir (Warrill Valley Water Supply Scheme)	WRA	INO/DRA/859
Rathdowney Raw Water Pipeline	PRA	---
Rathdowney Weir	WRT	INO/DRA/932
Rathdowney WPS	SRB	---
Rathdowney WTP	TRA	INO/DRA/692
Redbank Creek Weir	WRB	INO/DRA/893
Redbank Creek Raw Water Pump Station	SRC	INO/DRA/408
Redbank Plains Offtake (SRWP)	016	INO/DRA/413
Redlands Catchment	CRL	INO/DRA/998

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	36 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Reynolds Creek WPS	SRY	---
Robina 1 (Clover Hill) Reservoir	RRO (546)	INO/DRA/446
Robina 2 (Mixing) Reservoir	RRM (705)	INO/DRA/486
Runcorn WTP	TRU	INO/DRA/785
Sandy Creek Weir	WSC	INO/DRA/892
Seven Mile Lagoon Diversion Channel	I7M	INO/DRA/843
Showgrounds Weir	WSH	INO/DRA/891
Sideling Creek Dam (Lake Kurwongbah)	DLK	INO/DRA/769
Sippels Weir	WSI	INO/DRA/890
Six Mile Creek Catchment	CSM	INO/DRA/999
Somerset Dam	DSO	INO/DRA/705
Somerset Dam Facilities (Visitor Centre, Boat Ramps, Recreation Buildings, etc.)	FSO	INO/DRA/815
Somerset Dam Hydroelectric Plant	HSO	INO/DRA/798
Somerset Dam Raw Water PS	SSD	---
Somerset Dam Township WTP	TST	INO/DRA/738
Somerset Dam WPS	SSO	---
Somerset Dam WTP Pipeline	PSO	---
South Maclean Raw Water Pipeline	PML	---
South Maclean Weir	WSM	INO/DRA/799
South Maclean WPS	SSM	---
South Maclean WTP (NOT SEQWATER ASSET - SOLD TO LOGAN CITY COUNCIL 14/03/2014))	TSM	INO/DRA/775
South Maroochy Alert Station	AP8	INO/DRA/976
South Maroochy Intake Weir	WST	INO/DRA/656
South Maroochy WPS	SSI	---
Sparkes Hill 1 Reservoir	RS1 (780)	INO/DRA/560
Sparkes Hill 2 Reservoir	RS2 (780)	INO/DRA/566
Sparkes Hill Common Inlet Monitoring Station	NSH (W28)	INO/DRA/607
Sparkes Hill Common Outlet (Grinstead Park) Monitoring Station	NGP (W27)	INO/DRA/500

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	37 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Springfield Hlz Offtake (SRWP)	018	INO/DRA/412
Springfield Llz Offtake (SRWP)	017	INO/DRA/404
Stanley River Catchment	CST	INO/DRA/909
Stanley River WPS	SST	---
Stapylton Chemical Dosing Station	W29	INO/DRA/436
Stapylton Reservoir, Potable Water	055 (KST)	INO/DRA/420
Stones Road Pump Station	640 (SSR)	INO/DRA/611
Sunnybank WTP	TSN	INO/DRA/787
Swanbank Offtake (SRWP)	016	INO/DRA/413
Swanbank Potable Water Pump Station	SSB (051)	INO/DRA/417
Swanbank Recycled Water PS	S2S	---
Tarrant Drive Pump Station	STR (710)	INO/DRA/487
Tenthill Creek Weir	WTC	INO/DRA/895
Toogoolawah Raw Offtake Pipeline	PTO	---
Toogoolawah WPS	STO	---
Toogoolawah WTP	TTO	INO/DRA/790
Trinder Park Pump Station	STP (425)	INO/DRA/495
Tugun Water Treatment Plant (Associated Packages)	T2T	INO/DRA/502
Tugun Water Treatment Plant (45ML Expansion)	T3T	INO/DRA/592
Tugun Water Treatment Plant (Desalination)	T1T	INO/DRA/591
Upper Brisbane River Catchment	CUB	INO/DRA/908
Upper Mary Irrigation Scheme	IUM	INO/DRA/1014
Upper Warrill Diversion Channel	IUW	INO/DRA/857
Upper Warrill Diversion Weir (Warrill Valley Water Supply Scheme)	WUW	INO/DRA/817
Wacol Pump Station (Raw Water)	SW1	INO/DRA/762
Wacol to Goodna Treated Sewage Pipeline	P1W	---
Wamuran Bore WPS	SWA	---

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	38 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Wappa Dam	DWA	INO/DRA/655
Wappa Dam WPS (Raw Water)	SWD	INO/DRA/562
Wararba Creek Weir	WWC	---
Wararba Creek WPS	SWC	INO/DRA/713
Warrill Creek Diversion Channel, West Branch	IWE	INO/DRA/851
Warrill Creek Diversion Weir (Warrill Valley Water Supply Scheme)	WJU	INO/DRA/858
Warrill Creek Diversion Weir, West Branch	WWB	---
Warrill Diversion Channel, Upper	IUW	INO/DRA/857
Warrill Diversion Weir, Upper	WUW	INO/DRA/817
Warrill Valley Catchment	CWV	INO/DRA/978
Warrill Valley Irrigation Water Supply Scheme	IWV	INO/DRA/481
Warroolaba Creek Diversion Channel	IWR	INO/DRA/852
Warroolaba Creek Diversion Weir (Warrill Valley Water Supply Scheme)	WWR	INO/DRA/842
Warwick Pump Station	SRW	INO/DRA/988
Warwick Reservoir	RWR	INO/DRA/987
Wellers Hill 1 Reservoir	RW1	INO/DRA/609
Wellers Hill 2 Reservoir	RW2	INO/DRA/896
Wellers Hill Pump Station, Marshall Rd	SWH	INO/DRA/540
Western Boost TWPS	S2W	---
Western Corridor, Recycled Water Pipeline, Key Diagram 1:5000 Map Series	---	INO/DRA/552
Western Corridor, Scheme Wide Telemetry	---	INO/DRA/657
Western Pipe WPS	S2T	---
Western TFR TWPS	S2F	---
William Buck Centre (FCC2)	AF2	---
Wilson Weir	WWW	INO/DRA/684
Wivenhoe Dam	DWI	INO/DRA/704
Wivenhoe Dam (Recreation) WTP	TWR	INO/DRA/739
Wivenhoe Dam Facilities (Information/Administration Centre, Boat Ramps, Recreation Buildings, etc.)	FWI	INO/DRA/796

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	39 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Wivenhoe Dam Hydroelectric Plant	HWD	INO/DRA/1002
Wivenhoe Release Treated Water Pipe	P2W	---
Wivenhoe to Esk Raw Water Pipeline	PEW	INO/DRA/922
Woodford Offstream Storage	LWF	---
Woodford Offstream Storage Raw Water PS	SWO	---
Woodford Weir (Stanley River)	WSR	INO/DRA/889
Woodford WTP	TWF	INO/DRA/776
Woombye Offtake (Paynter Creek) – Laidlaw Road PRV	340	INO/DRA/954
Woorim WTP	TWO	INO/DRA/792
Wyaralong Dam	DWY	INO/DRA/595
Wyaralong Dam Catchment Facilities	FWY	INO/DRA/458
Wyaralong Raw Water Pipeline (Future)	PWY	INO/DRA/946
Wyaralong Raw Water Pump Station (Future)	SWY	INO/DRA/947
Wyaralong Treated Water Pump Station	SWT	INO/DRA/951
Wyaralong Treated Water Reservoir No.1	RY1	INO/DRA/948
Wyaralong Treated Water Reservoir No.2 (Future)	RY2	INO/DRA/949
Wyaralong Treated Water Reservoir No.3 (Future)	RY3	INO/DRA/950
Wyaralong WTP	TWY	INO/DRA/766
Yabba Creek Weir	WYC	INO/DRA/886

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	40 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Appendix B – Gauging Stations

Description	Drawing Code	REX Container
ASSET LOCATION		
Atkinson Dam Gauging Station	GAT	
Baroon Pocket Dam HW Gauging Station	GBP	
Berrys Lagoon Gauging Station	GBL	
Bob Birds Hut Gauging Station	GJ1	
Borumba Dam HW Gauging Station	GBR	
Borumba Dam TW Gauging Station	GB0	
Bromelton Dam HW Gauging Station	GBM	
Bromelton Weir HW Gauging Station	GBW	
Bromelton Weir TW Gauging Station	GBT	
Cedar Grove Weir HW Gauging Station	GCG	
Cedar Pocket Dam HW Gauging Station	GCP	
Cedar Pocket Dam TW Gauging Station	GCE	
Churchbank Weir Gauging Station	GCH	
Clarendon Pump Station Gauging Station	GCS	
Cooloolabin Dam HW Gauging Station	GCO	
Dagun Pocket Gauging Station	GDP	
Diversion Channel Gauging Station	GDC	
Enoggera Dam HW Gauging Station	GEN	
Ewen Maddock Dam HW Gauging Station	GEM	
Gatton Weir Gauging Station	GGA	
Gold Creek Dam HW Gauging Station	GGC	
Gravity Channel Gauging Station	GAK	
Gympie Weir Gauging Station	GIM	
Hinze Dam HW Gauging Station	GHZ	
Kalbar Weir HW Gauging Station	GWB	
Kalbar Weir TW Gauging Station	GKA	
Lake Clarendon Gauging Station	GCL	
Lake Dyer Gauging Station	GBG	

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	41 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.

Description	Drawing Code	REX Container
ASSET LOCATION		
Lake Kurwongbah Gauging Station	GLK	
Lake Macdonald Dam HW Gauging Station	GLM	
Lake Manchester Dam HW Gauging Station	GLN	
Leslie Harrison Dam HW Gauging Station	GLH	
Little Nerang Dam HW Gauging Station	GNE	
Maroon Dam HW Gauging Station	GMA	
Maroon Dam TW Gauging Station	GMR	
Moogerah Dam HW Gauging Station	GMO	
Moogerah Dam TW Gauging Station	GMG	
Mount Crosby Weir HW Gauging Station	GMC	
Nindooibah Dam HW Gauging Station	GNI	
North Pine Dam HW Gauging Station	GNP	
O'Reillys Weir HW Gauging Station	GOR	
Poona Dam HW Gauging Station	GPO	
Showgrounds Weir HW Gauging Station	GSH	
Somerset Dam HW Gauging Station	GSO	
South Maclean Weir HW Gauging Station	GSM	
South Maclean Weir TW Gauging Station	GSC	
South Maroochy Intake Weir Gauging Station	GST	
Toohills Crossing Gauging Station	GTC	
Wappa Dam HW Gauging Station	GWA	
Wivenhoe Dam HW Gauging Station	GWI	
Wivenhoe Dam TW Gauging Station	GWV	
Wyaralong Dam HW Gauging Station	GWY	

Version No.	Document No.	Document Owner:	Approval Date:	Document Approver:	Page:
10	PRO-01872	Principal Engineering Standards and Assurance	10/03/2025	General Manager Engineering	42 of 42

This document is the property of Seqwater. It must not be copied or reproduced in any way whatsoever without the authority of Seqwater. This document is uncontrolled when printed.

An electronic database manages and stores the controlled version.